

Applicants: Stadler et al.
Serial No. 10/023,234
Page 2

CLAIMS

1. (Previously presented) A method comprising:
operating a processor in a normal processing mode;
switching the operation of the processor from the normal processing mode to operating in a guarded processing mode in response to a non-benign heart rhythm; and
executing discriminatory arrhythmia classification algorithms with the processor when the processor is in the guarded processing mode.
2. (Previously presented) The method of claim 1, further comprising operating the processor in the normal processing mode without regard to heart rate.
3. (Previously presented) The method of claim 1, further comprising operating the processor in the guarded processing mode without regard to heart rate.
4. (Previously presented) The method of claim 1, wherein operating the processor in the guarded processing mode in response to a non-benign heart rhythm comprises operating the processor in the guarded processing mode in response to evidence of one of atrial fibrillation and atrial flutter with atrioventricular dissociation and R-R interval stability.
5. (Original) The method of claim 4, wherein the evidence of one of atrial fibrillation and atrial flutter is a function of timing of P-waves and R-waves.
6. (Previously presented) The method of claim 1, wherein operating the processor in the guarded processing mode in response to a non-benign heart rhythm comprises operating the processor in the guarded processing mode in

Applicants: Stadler et al.
Serial No. 10/023,234
Page 3

response to insufficient evidence of atrial fibrillation and atrial flutter and sinus tachycardia, and in response to sufficient evidence of R-R interval stability.

7. (Original) The method of claim 6, wherein the evidence of atrial fibrillation and atrial flutter and sinus tachycardia is a function of timing of P-waves and R-waves.

8. (Previously presented) The method of claim 1, further comprising operating the processor in the normal processing mode in response to a benign heart rhythm.

9. (Original) The method of claim 8, wherein the benign rhythm comprises at least one of a normal sinus rhythm, sinus tachycardia, atrial fibrillation, atrial flutter, 1:1 supraventricular tachycardia, a paced rhythm, bigeminy and non-sustained ectopy.

10. (Previously presented) The method of claim 1, further comprising maintaining the processor in the normal processing mode in response to a benign heart rhythm.

11. (Previously presented) The method of claim 1, wherein operating the processor in the guarded processing mode comprises operating the processor in one of a monitoring zone and a therapy zone, wherein operating the processor in the monitoring zone comprises monitoring the rhythm without delivery of therapy to the heart.

12. (Original) The method of claim 1, wherein the processor is included in an implanted cardiac monitoring device.

Applicants: Stadler et al.
Serial No. 10/023,234
Page 4

13. (Original) The method of claim 1, wherein the discriminatory arrhythmia classification algorithms comprise at least one of morphological analysis, operations on timing of P-waves and operations on timing of R-waves.
14. (Previously presented) A computer-readable medium comprising instructions for causing a programmable processor to:
 - operate the processor in a normal processing mode;
 - switch the processor to operate in a guarded processing mode in response to a non-benign heart rhythm; and
 - execute discriminatory arrhythmia classification algorithms with the processor when the processor is in the guarded processing mode.
15. (Previously presented) The medium of claim 14, the instructions further causing the processor to operate the processor in the normal processing mode without regard to heart rate.
16. (Previously presented) The medium of claim 14, the instructions further causing the processor to operate the processor in the guarded processing mode without regard to heart rate.
17. (Previously presented) The medium of claim 14, wherein operating the processor in the guarded processing mode in response to a non-benign heart rhythm comprises operating the processor in the guarded processing mode in response to evidence of one of atrial fibrillation and atrial flutter with atrioventricular dissociation and R-R interval stability.
18. (Original) The medium of claim 17, wherein the evidence of one of atrial fibrillation and atrial flutter is a function of timing of P-waves and R-waves.

Applicants: Stadler et al.
Serial No. 10/023,234
Page 5

19. (Previously presented) The medium of claim 14, wherein operating the processor in the guarded processing mode in response to a non-benign heart rhythm comprises operating the processor in the guarded processing mode in response to insufficient evidence of atrial fibrillation and atrial flutter and sinus tachycardia, and in response to sufficient evidence of R-R interval stability.

20. (Original) The medium of claim 19, wherein the evidence of atrial fibrillation and atrial flutter and sinus tachycardia is a function of timing of P-waves and R-waves.

21. (Previously presented) The medium of claim 14, the instructions further causing the processor to operate the processor in the normal processing mode in response to a benign heart rhythm.

22. (Original) The medium of claim 21, wherein the benign rhythm comprises at least one of a normal sinus rhythm, sinus tachycardia, atrial fibrillation, atrial flutter, 1:1 supraventricular tachycardia, a paced rhythm, bigeminy and non-sustained ectopy.

23. (Previously presented) The medium of claim 14, the instructions further causing the processor to maintain the processor in the normal processing mode in response to a benign heart rhythm.

24. (Previously presented) The medium of claim 14, wherein operating the processor in the guarded processing mode comprises operating the processor in one of a monitoring zone and a therapy zone, wherein operating the processor in the monitoring zone comprises monitoring the rhythm without delivery of therapy to the heart.

Applicants: Stadler et al.
Serial No. 10/023,234
Page 6

25. (Original) The medium of claim 14, wherein the processor is included in an implanted cardiac monitoring device.

26. (Original) The medium of claim 14, wherein discriminatory arrhythmia classification algorithms comprise at least one of morphological analysis, operations on timing of P-waves and operations on timing of R-waves.

27. (Previously presented) A method comprising:
sensing a cardiac rhythm;
operating a processor in a normal processing mode when the sensed cardiac rhythm is a benign rhythm; and
operating the processor in a guarded processing mode when the sensed cardiac rhythm is a non-benign rhythm.

28. (Original) The method of claim 27, wherein the benign rhythm comprises at least one of a normal sinus rhythm, sinus tachycardia, atrial fibrillation, atrial flutter, 1:1 supraventricular tachycardia, a paced rhythm, bigeminy and non-sustained ectopy.

29. (Previously presented) The method of claim 27, wherein operating the processor in the guarded processing mode comprises executing discriminatory arrhythmia classification algorithms to classify the heart rhythm.

30. (Previously presented) The method of claim 27, wherein operating the processor in the guarded processing mode comprises monitoring the non-benign rhythm.

31. (Previously presented) The method of claim 27, wherein operating the processor in the guarded processing mode comprises delivering therapy to the non-benign rhythm.

Applicants: Stadler et al.
Serial No. 10/023,234
Page 7

32. (Previously presented) A computer-readable medium comprising instructions for causing a programmable processor to:
- sense a cardiac rhythm;
 - operate the processor in a normal processing mode when the sensed cardiac rhythm is a benign rhythm; and
 - operate the processor in a guarded processing mode when the sensed cardiac rhythm is a non-benign rhythm.
33. (Original) The medium of claim 32, wherein the benign rhythm comprises at least one of a normal sinus rhythm, atrial fibrillation, atrial flutter, 1:1 supraventricular tachycardia, a paced rhythm, bigeminy and non-sustained ectopy.
34. (Previously presented) The medium of claim 32, wherein operating the processor in the guarded processing mode comprises executing discriminatory arrhythmia classification algorithms to classify the heart rhythm.
35. (Previously presented) The medium of claim 32, wherein operating the processor in the guarded processing mode comprises monitoring the non-benign rhythm.
36. (Previously presented) The medium of claim 32, wherein operating the processor in the guarded processing mode comprises delivering therapy to the non-benign rhythm.
37. (Previously presented) A device comprising:
- a sensor proximal to a ventricle of a heart; and
 - a processor that operates in one of a normal processing mode and a guarded processing mode as a function of a cardiac rhythm sensed via the sensor,

Applicants: Stadler et al.
Serial No. 10/023,234
Page 8

wherein the processor executes discriminatory arrhythmia classification algorithms when the processor is in the guarded processing mode.

38. (Original) The device of claim 37, further comprising an analog-to-digital converter that converts an analog signal sensed via the sensor to a digital signal.

39. (Previously presented) The device of claim 37, wherein the processor operates in the normal processing mode when the rhythm is benign and in the guarded processing mode when the rhythm is non-benign.

40. (Original) The device of claim 39, wherein a benign rhythm comprises at least one of a normal sinus rhythm, sinus tachycardia, atrial fibrillation, atrial flutter, 1:1 supraventricular tachycardia, a paced rhythm, bigeminy and non-sustained ectopy.

41. (Previously presented) The device of claim 37, further comprising a second sensor proximal to an atrium of the heart, wherein the processor operates in one of the normal processing mode and the guarded processing mode as a function of a cardiac rhythm sensed via the second sensor.

42. (Previously presented) A method comprising:
operating in a normal processing mode;
switching to a guarded processing mode and executing discriminatory arrhythmia classification algorithms with a processor in response to a non-benign heart rhythm; and
classifying the heart rhythm.

43. (Original) The method of claim 42, further comprising executing discriminatory arrhythmia classification algorithms without regard to heart rate.

Applicants: Stadler et al.
Serial No. 10/023,234
Page 9

44. (Original) The method of claim 42, wherein the non-benign rhythm comprises at least one of ventricular tachycardia, ventricular fibrillation or dual tachycardia.

45. (Original) The method of claim 42, wherein executing discriminatory arrhythmia classification algorithms with a processor in response to the non-benign heart rhythm comprises executing discriminatory arrhythmia classification algorithms with a processor in response to measured timing of P-waves and R-waves.

46. (Original) The method of claim 45, wherein executing discriminatory arrhythmia classification algorithms with a processor in response to the non-benign heart rhythm further comprises executing discriminatory arrhythmia classification algorithms with a processor in response to accumulated evidence of at least one of sinus tachycardia, atrial fibrillation and atrial flutter.

47. (Original) The method of claim 42, further comprising delivering therapy to the heart as a function of the classification.

48. (Original) The method of claim 42, further comprising monitoring the rhythm as a function of the classification.

49. (Original) A computer-readable medium comprising instructions for causing a programmable processor to:
execute discriminatory arrhythmia classification algorithms with a processor in response to a non-benign heart rhythm; and
classify the heart rhythm.

Applicants: Stadler et al.
Serial No. 10/023,234
Page 10

50. (Original) The medium of claim 49, the instructions further causing the processor to execute discriminatory arrhythmia classification algorithms without regard to heart rate.

51. (Original) The medium of claim 49, wherein the non-benign rhythm comprises at least one of ventricular tachycardia, ventricular fibrillation or dual tachycardia.

52. (Original) The medium of claim 49, wherein executing discriminatory arrhythmia classification algorithms with a processor in response to the non-benign heart rhythm comprises executing discriminatory arrhythmia classification algorithms with a processor in response to measured timing of P-waves and R-waves.

53. (Original) The medium of claim 52, wherein executing discriminatory arrhythmia classification algorithms with a processor in response to the non-benign heart rhythm further comprises executing discriminatory arrhythmia classification algorithms with a processor in response to accumulated evidence of at least one of sinus tachycardia, atrial fibrillation and atrial flutter.

54. (Original) The medium of claim 49, the instructions further causing the processor to deliver therapy to the heart as a function of the classification.

55. (Original) The medium of claim 49, the instructions further causing the processor to monitor the rhythm as a function of the classification.